

HTML Part 2

List Tags

General

"Nesting" lists cause additional levels/indentation

`<li></li>`

- an item in the list

`</ul>`

- Unordered list, items are bulleted

`<ol></ol>`

- Numbered/Ordered list

Bulleted Lists

Create the following
bulleted list using the
tags to the right.

First item
Second item
Third item
Fourth item

```
<HTML>
<TITLE> Text</TITLE>
<BODY>
<UL>
<LI>First Item
<LI>Second Item
<LI>Third Item
<LI>Fourth Item
</UL>
</BODY>
</HTML>
```

Table 5-1 Global Table Attributes

Attribute	Description
align	Floats the table to the left or right of the text. This is a deprecated attribute in HTML 4.0.
background	Specifies a background image that tiles the background of the cell. This is a deprecated attribute in HTML 4.0.
bgcolor	Specifies a color for the table background. This is a deprecated attribute in HTML 4.0.
border	Displays a border around the table and each cell within the table.
cellpadding	Inserts spacing within the table cells on all four sides. The value for this attribute is a pixel count.
cellspacing	Inserts spacing between the table cells, on all four sides. The value for this attribute is a pixel count.
height	Adjusts the height of the table. The value can be either a percentage relative to the browser window size or a fixed pixel amount. This is a deprecated attribute in HTML 4.0.
width	Adjusts the width of the table. The value can be either a percentage relative to the browser window size or a fixed pixel amount.

Table 5-2 Row-level Table Attributes

Attribute	Description
align	Horizontally aligns the contents of the cells within the row. Use left, center, or right values. Left is the default. This is a deprecated attribute in HTML 4.0.
bgcolor	Specifies a background color for the cells within the row. This is a deprecated attribute in HTML 4.0.
valign	Vertically aligns the contents of the cells within the row. Use top, middle, or bottom values. Middle is the default.

Table 5-3 Cell-level Table Attributes

Attribute	Description
align	Horizontally aligns the contents of the cell. Use left, center, or right values. Left is the default.
bgcolor	Specifies a background color for the cell. This is a deprecated attribute in HTML 4.0.
colspan	Specifies the number of columns a cell spans.
height	Adjusts the height of the cell. The value can be either a percentage relative to the table size or a fixed pixel amount. This is a deprecated attribute in HTML 4.0.
rowspan	Specifies the number of rows a cell spans.
valign	Vertically aligns the contents of the cell. Use top, middle, or bottom values. Middle is the default.
width	Adjusts the width of the cell. The value can be either a percentage relative to the table size or a fixed pixel amount. This is a deprecated attribute in HTML 4.0 at the cell level.

Table Tags

```
<TABLE BORDER=0>
<TR><TD>Stock
  Number</TD><TD>Description</TD><TD>ListPrice</T
D></TR>
<TR><TD>3476-AB</TD><TD>76mm
  Socket</TD><TD>45.00</TD></TR>
<TR><TD>3478-AB</TD><TD>78mm
  Socket</TD><TD>47.50</TD></TR>
<TR><TD>3480-AB</TD><TD>80mm
  Socket</TD><TD>50.00</TD></TR></TABLE>
```

Image Tag

```
<img>
  src="URL", only required attribute
  height=#
  width=#
  border=#
  alt="text", alternate text, displayed as
  graphic loads or reads in HTML TTS parsers
```

Hypertext Tags

```
<a></a>
  No required attributes
<a href="URL"></a>
  Creates a link to a designated URL
<a name="name"></a>
  Creates a location in an HTML file, can be
  targeted as <a href="foo.html#name">
  Called an anchor in Dreamweaver
```
